BEST AVAILABLE COPY

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE EXPEDITED PROCEDURE-RESPONSE AFTER FINAL REJECTION

In re Application of:

RECEIVED CENTRAL FAX CENTER

Sylvie Veriac, et al.

OCT 0 6 2004

Serial No.: 09/527,028

Art Unit: 1641

Filed: March 16, 2000

Examiner: Gabel, Gailene

For: Reagent for Determination of

Leucocytes and Measurement

of Haemoglobin in a Sample of

Blood.

Atty Docket: 20198/00053

RESPONSE AFTER FINAL REJECTION UNDER 37 CFR § 1.116

BOX AF

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

INTRODUCTORY COMMENTS

The present Amendment and Remarks are submitted jointly with an APPEAL BRIEF, in response to the final Office Action dated April 6, 2004.

Amendments to the Claims begin on page 3 of this paper; and Remarks and Arguments begin on page 5 of this paper.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

| Defects in the images include but are not limited to the items checked: | | |
|---|---|--|
| | □ BLACK BORDERS | |
| | IMAGE CUT OFF AT TOP, BOTTOM OR SIDES | |
| | ☐ FADED TEXT OR DRAWING | |
| | ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING | |
| | SKEWED/SLANTED IMAGES | |
| | COLOR OR BLACK AND WHITE PHOTOGRAPHS | |
| | GRAY SCALE DOCUMENTS | |
| | ☐ LINES OR MARKS ON ORIGINAL DOCUMENT | |
| | ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY | |
| | OTHER. | |

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.